

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type                    | Model                     | Version             | Max Resolution | Sub-stream | Audio |
|-------------------------|---------------------------|---------------------|----------------|------------|-------|
| SD<br>Network<br>Camera | DS-2CD7133F-E             | V5.2.0 build 140721 | 640*480        | √          | x     |
|                         | DS-2CD793NFW-D-EI         | V5.2.0 build 140721 | 704*576        | √          | √     |
|                         | DS-2CD802NF               | V2.0 build 090522   | 704*576        | √          | √     |
|                         |                           | V2.0 build 090715   |                |            |       |
|                         |                           | V2.0 build 110301   |                |            |       |
|                         | DS-2CD833F-E              | V5.2.0 build 140721 | 640*480        | √          | √     |
| DS-2CD893PF-E           | V5.2.0 build 140721       | 704*576             | √              | √          |       |
| HD<br>Network<br>Camera | DS-2CD2012-I              | V5.3.0 build150327  | 1280*960       | √          | x     |
|                         | DS-2CD2132-I              | V5.3.0 build150327  | 2048*1536      | √          | x     |
|                         | DS-2CD2410FD-I(W)         | V5.3.0 build150327  | 1920*1080      | √          | √     |
|                         | DS-2CD2612F-I             | V5.3.0 build150327  | 1280*960       | √          | x     |
|                         | DS-2CD2612F-IS            | V5.3.0 build150327  | 1280*960       | √          | √     |
|                         | DS-2CD2632F-I             | V5.3.0 build150327  | 2048*1536      | √          | x     |
|                         | DS-2CD2632F-IS            | V5.3.0 build150327  | 2048*1536      | √          | √     |
|                         | DS-2CD2710F-I             | V5.3.0 build150327  | 1920*1080      | √          | x     |
|                         | DS-2CD2720F-I             | V5.3.0 build150327  | 1920*1080      | √          | x     |
|                         | DS-2CD4010F               | V5.3.0 build150327  | 1920*1080      | √          | √     |
|                         | DS-2CD4012F               | V5.3.0 build150327  | 1280*1024      | √          | √     |
|                         | DS-2CD4026FWD             | V5.3.0 build150327  | 1920*1080      | √          | √     |
|                         | DS-2CD4026FWD-SDI         | V5.3.0 build150327  | 1920*1080      | √          | √     |
|                         | DS-2CD4032FWD             | V5.3.0 build150327  | 2048*1536      | √          | √     |
|                         | DS-2CD4065F               | V5.3.0 build150327  | 3072*2048      | √          | √     |
|                         | DS-2CD4124F-I(2.8-12mm)   | V5.3.0 build150327  | 1920*1080      | √          | √     |
|                         | DS-2CD4132FWD-I(2.8-12mm) | V5.3.0 build150327  | 2048*1536      | √          | √     |
|                         | DS-2CD4212F-I(2.8-12mm)   | V5.3.0 build150327  | 1280*1024      | √          | x     |
|                         | DS-2CD4212F-IS(2.8-12mm)  | V5.3.0 build150327  | 1280*1024      | √          | √     |
|                         | DS-2CD4212FWD-I           | V5.3.0 build150327  | 1280*960       | √          | x     |
|                         | DS-2CD4212FWD-IS          | V5.3.0 build150327  | 1280*960       | √          | √     |
|                         | DS-2CD4224F-I             | V5.3.0 build150327  | 1920*1080      | √          | x     |
|                         | DS-2CD4232FWD-I           | V5.3.0 build150327  | 2048*1536      | √          | x     |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type | Model                      | Version             | Max Resolution | Sub-stream | Audio |
|------|----------------------------|---------------------|----------------|------------|-------|
|      | DS-2CD4232FWD-IS(2.8-12mm) | V5.3.0 build150327  | 2048*1536      | √          | √     |
|      | DS-2CD4312F-I              | V5.3.0 build150327  | 1280*1024      | √          | x     |
|      | DS-2CD4312FWD-I            | V5.3.0 build150327  | 1280*960       | √          | x     |
|      | DS-2CD4324F-I              | V5.3.0 build150327  | 1920*1080      | √          | x     |
|      | DS-2CD4332FHWD-IS          | V5.3.0 build150327  | 2048*1536      | √          | √     |
|      | DS-2CD4332FHWD-I           | V5.3.0 build150327  | 2048*1536      | √          | x     |
|      | DS-2CD4332FWD-I            | V5.3.0 build150327  | 2048*1536      | √          | x     |
|      | DS-2CD6213F                | V5.2.6 build 141218 | 1280*960       | √          | x     |
|      | DS-2CD6223F                | V5.2.6 build 141218 | 1920*1080      | √          | x     |
|      | DS-2CD6233F                | V5.2.6 build 141218 | 2048*1536      | √          | x     |
|      | DS-2CD7153-E               | V5.2.0 build 140721 | 1600*1200      | √          | x     |
|      | DS-2CD7164-E               | V5.2.0 build 140721 | 1280*720       | √          | x     |
|      | DS_2CD754F-EI              | V5.2.0 build 140721 | 2048*1536      | √          | √     |
|      | DS-2CD754FWD-E             | V5.2.0 build 140721 | 1920*1080      | √          | √     |
|      | DS-2CD754FWD-EIZ           | V5.2.0 build 140721 | 2048*1536      | √          | √     |
|      | DS_2CD783F-EI              | V5.2.0 build 140721 | 2560*1920      | √          | √     |
|      | DS-2CD8153F-E              | V5.2.0 build 140721 | 1600*1200      | √          | √     |
|      | DS-2CD8464F-EI             | V5.2.0 build 140721 | 1280*960       | √          | √     |
|      | DS-2CD852MF-E              | V2.0 build 110614   | 1600*1200      | √          | √     |
|      |                            | V2.0 build 110426   |                |            |       |
|      |                            | V2.0 build 100521   |                |            |       |
|      | DS-2CD855F-E               | V5.2.0 build 140721 | 1920*1080      | √          | √     |
|      | DS-2CD862MF-E              | V2.0 build 110614   | 1280*960       | √          | √     |
|      |                            | V2.0 build 110426   |                |            |       |
|      |                            | V2.0 build 100521   |                |            |       |
|      | DS-2CD863PF/NF-E           | V5.2.0 build 140721 | 1280*960       | √          | √     |
|      | DS-2CD864FWD-E             | V5.2.0 build 140721 | 1280*720       | √          | √     |
|      | DS-2CD876MF/BF-E           | V4.0.3 build120913  | 1600*1200      | √          | √     |
|      | DS-2CD877BF                | V4.0.3 build120913  | 1920*1080      | √          | √     |
|      | DS-2CD886MF-E              | V4.0.3 build 120913 | 2560*1920      | √          | √     |

### SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type                    | Model              | Version             | Max Resolution | Sub-stream | Audio |
|-------------------------|--------------------|---------------------|----------------|------------|-------|
|                         | DS-2CD966(B)       | V3.1 build 120423   | 1360*1024      | x          | x     |
|                         | DS-2CD966-V(B)     | V3.1 build 120423   | 1360*1024      | x          | x     |
|                         | DS-2CD976(C)       | V3.1 build 120423   | 1600*1200      | x          | x     |
|                         | DS-2CD976-V(C)     | V3.1 build 120423   | 1600*1200      | x          | x     |
|                         | DS-2CD977(C)       | V3.1 build 120423   | 1920*1080      | x          | x     |
|                         | DS-2CD986A(C)      | V3.1 build 120423   | 2448*2048      | x          | x     |
|                         | DS-2CD986C ( B )   | V2.3.6 build 120401 | 2560*1920      | x          | x     |
| HD<br>Network<br>Camera | DS-2CD9122         | V3.7.1 build140417  | 1920*1080      | √          | x     |
|                         | DS-2CD9152         | V3.7.1 build140417  | 2560*1920      | √          | x     |
|                         | iDS-2CD9152        | V3.7.1 build140417  | 2560*1920      | √          | x     |
|                         | DS-2CD9122-H       | V3.7.1 build140417  | 1920*1080      | √          | x     |
|                         | DS-2CD9182-H       | V3.8.1 build140815  | 3296*2472      | √          | x     |
|                         | DS-2CD9121         | V3.7.1 build140417  | 1600*1200      | √          | x     |
|                         | iDS-2CD9121        | V3.7.1 build140417  | 1600*1200      | √          | x     |
|                         | DS-2CD9131         | V4.0.0 build150213  | 2048*1536      | √          | x     |
|                         | iDS-2CD9131        | V4.0.0 build150213  | 2048*1536      | √          | x     |
|                         | DS-2CD9121A        | V3.8.2 build141121  | 1600*1200      | √          | x     |
|                         | iDS-2CD9121A       | V3.8.2 build141121  | 1600*1200      | √          | x     |
|                         | DS-2CD9111(B)      | V3.7.1 build140417  | 1360*1024      | √          | x     |
|                         | DS-2CD9151A        | V3.8.2 build141121  | 2448*2048      | √          | x     |
|                         | DS-2CD9152-H       | V3.8.2 build141121  | 2592*2048      | √          | x     |
|                         | iDS-2CD9282        | V3.8.2 build141121  | 3296*2472      | √          | x     |
|                         | DS-2CD9131-K       | V4.0.0 build150213  | 2048*1536      | √          | √     |
|                         | DS-2CD9152-HK      | V3.8.2 build141121  | 2592*2048      | √          | √     |
|                         | iDS-2CD9131-E      | V3.8.2 build141121  | 2048*1536      | √          | x     |
|                         | iDS-2CD9151A-E     | V3.8.2 build141121  | 2448*2048      | √          | x     |
|                         | iDS-2CD9151A       | V3.8.2 build141121  | 2448*2048      | √          | x     |
|                         | iDS-2CD9152-EH     | V3.8.2 build141121  | 2592*2048      | √          | x     |
| iDS-2CD9152-H           | V3.8.2 build141121 | 2592*2048           | √              | x          |       |
| DS-2CD9120-H            | V3.7.1 build140417 | 1600*1200           | √              | x          |       |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type              | Model              | Version            | Max Resolution | Sub-stream | Audio |
|-------------------|--------------------|--------------------|----------------|------------|-------|
|                   | iDS-2CD9361        | V4.0.0 build150213 | 2752*2208      | √          | x     |
|                   | iDS-2CD9022        | V4.0.0 build150213 | 1920*1080      | √          | √     |
|                   | iDS-2CD9025        | V3.8.2 build141114 | 1920*1080      | √          | x     |
|                   | iDS-2CD9022-SZ     | V4.0.0 build150213 | 1920*1080      | √          | x     |
|                   | DS-2CD9125-KS      | V3.8.1 build150113 | 1920*1080      | √          | x     |
| SD Encoder        | DS-6501HCI         | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6501HCI-SATA    | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6501HFI         | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6501HFI-SATA    | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6502HCI         | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6502HCI-SATA    | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6502HFI         | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6502HFI-SATA    | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6504HCI         | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6504HCI-SATA    | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6504HFI         | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6504HFI-SATA    | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6508HCI         | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6508HCI-SATA    | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6508HFI         | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6508HFI-SATA    | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6516HCI         | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6516HCI-SATA    | V1.0.1 build130607 | 352*288        | √          | √     |
|                   | DS-6516HFI         | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6516HFI-SATA    | V1.0.1 build130607 | 704*576        | √          | √     |
|                   | DS-6601HCI         | V1.2.1 build131202 | 352*288        | √          | √     |
|                   | DS-6602HCI         | V1.2.1 build131202 | 352*288        | √          | √     |
|                   | DS-6604HCI         | V1.2.1 build131202 | 352*288        | √          | √     |
| DS-6601HFI(-SATA) | V1.2.1 build131202 | 704*576            | √              | √          |       |
| DS-6602HFI(SATA)  | V1.2.1 build131202 | 704*576            | √              | √          |       |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type                 | Model                              | Version             | Max Resolution | Sub-stream | Audio |
|----------------------|------------------------------------|---------------------|----------------|------------|-------|
|                      | DS-6604HFI(-SATA)                  | V1.2.1 build131202  | 704*576        | √          | √     |
|                      | DS-6701HWI                         | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6701HWI-SATA                    | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6704HWI                         | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6704HWI-SATA                    | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6708HWI                         | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6708HWI-SATA                    | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6716HWI                         | V1.2.3 build141202  | 960*576        | √          | √     |
|                      | DS-6716HWI-SATA                    | V1.2.3 build141202  | 960*576        | √          | √     |
| HD Encoder           | DS-6601HFHI                        | V1.1.0 build150123  | 1920*1080      | √          | √     |
|                      | DS-6601HFHI/L                      | V1.1.0 build150123  | 1920*1080      | √          | √     |
| Network Speed Dome   | DS-2DF7274-A/D/AF                  | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | iDS-2DF7274-A/D/AF                 | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DM7274-A                       | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DF5274-A/D/A3/D3/AF/A3F        | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | iDS-2DF5274-A/D/A3/D3/AF/A3F       | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DM5274-A/A3                    | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DF7276-A/D/AF                  | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | iDS-2DF7276-A/D/AF                 | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DF5276-A/D/A3/D3/AF/A3F        | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | iDS-2DF5276-A/D/A3/D3/AF/A3F       | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DF7274-AH/DH/AF                | HV5.2.8 build150124 | 1280*960       | √          | √     |
|                      | iDS-2DF7274-AH/DH/AF               | HV5.2.8 build150124 | 1280*960       | √          | √     |
|                      | DS-2DF5274-AH/DH/A3H/D3H/AFH/A3FH  | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | iDS-2DF5274-AH/DH/A3H/D3H/AFH/A3FH | V5.2.8 build150124  | 1280*960       | √          | √     |
|                      | DS-2DF7276-AH/DH/AF                | HV5.2.8 build150124 | 1280*960       | √          | √     |
| iDS-2DF7276-AH/DH/AF | HV5.2.8 build150124                | 1280*960            | √              | √          |       |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type | Model                              | Version            | Max Resolution | Sub-stream | Audio |
|------|------------------------------------|--------------------|----------------|------------|-------|
|      | DS-2DF5276-AH/DH/A3H/D3H/AFH/A3FH  | V5.2.8 build150124 | 1280*960       | √          | √     |
|      | iDS-2DF5276-AH/DH/A3H/D3H/AFH/A3FH | V5.2.8 build150124 | 1280*960       | √          | √     |
|      | DS_2DF713015-AW                    | V5.2.8 build150124 | 1280*960       | √          | √     |
|      | DS-2DF7285-AH                      | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF5285-AH                      | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF7294-A/D/AF                  | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | iDS-2DF7294-A/D/AF                 | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | DS-2DF5294-A/D/A3/D3/AF/A3F        | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | iDS-2DF5294-A/D/A3/D3/AF/A3F       | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | DS-2DF7296-A/D/AF                  | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | iDS-2DF7296-A/D/AF                 | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | DS-2DF5296-A/D/A3/D3/AF/A3F        | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | iDS-2DF5296-A/D/A3/D3/AF/A3F       | V5.2.8 build150124 | 2048*1536      | √          | √     |
|      | DS-2DF6223-A                       | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | iDS-2DF6223-A                      | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF8223i-A                      | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | iDS-2DF8223i-A                     | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF7284-A/D/AF                  | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | iDS-2DF7284-A/D/AF                 | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF7286-A/D/AF                  | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | iDS-2DF7286-A/D/AF                 | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF5284-A/D/A3/D3/AF/A3F        | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | iDS-2DF5284-A/D/A3/D3/AF/A3F       | V5.2.8 build150124 | 1920*1080      | √          | √     |
|      | DS-2DF5286-A/D/A3/D3/AF/A3F        | V5.2.8 build150124 | 1920*1080      | √          | √     |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type | Model                        | Version             | Max Resolution | Sub-stream | Audio |
|------|------------------------------|---------------------|----------------|------------|-------|
|      | iDS-2DF5286-A/D/A3/D3/AF/A3F | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS_2DF7230I5-AW              | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2AF7220-A/D               | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2AF7230-A/D               | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2AF5220-A/D               | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2AF5230-A/D               | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | iDS-2DF5220S-D4/JY           | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2DF7268-A                 | V5.2.8 build150124  | 704*576        | √          | √     |
|      | DS-2DF5268-A                 | V5.2.8 build150124  | 704*576        | √          | √     |
|      | DS-2DF7264-A                 | V5.2.8 build150124  | 704*576        | √          | √     |
|      | DS-2DF5264-A                 | V5.2.8 build150124  | 704*576        | √          | √     |
|      | DS-2DE5172-A/A3              | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE5174-A/AE/AE3/A3/D/D3  | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE5176-A/AE              | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE7172-A                 | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE7174-A/AE/D            | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE7176-A/AE              | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE7120i-A/AE             | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DM7130i-A                | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DM4120-A                 | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE5120I-A                | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DM5120-A                 | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DM5130-A                 | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE2103-DE3/W             | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE2103I-DE3/W            | V5.2.10 build150128 | 1280*960       | √          | √     |
|      | DS-2DE7184-A/AE/D            | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE5182-A/A3              | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE5184-A/AE/AE3/A3/D/D3  | V5.2.10 build150128 | 1920*1080      | √          | √     |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type | Model             | Version             | Max Resolution | Sub-stream | Audio |
|------|-------------------|---------------------|----------------|------------|-------|
|      | DS-2DE5186-A/AE   | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE7182-A      | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE4582-A      | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE4220-A      | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE4182-A      | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DM7230i-A     | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DM7220i-A     | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE7186-A/AE   | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE5220i-A     | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DM5220-A      | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DM5230-A      | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE2202-DE3/W  | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE2202i-DE3/W | V5.2.10 build150128 | 1920*1080      | √          | √     |
|      | DS-2DE4572-A      | V5.2.10 build150128 | 1280*720       | √          | √     |
|      | DS-2DE4172-A      | V5.2.10 build150128 | 1280*720       | √          | √     |
|      | DS-2DE7194-A/A3   | V5.2.10 build150128 | 2048*1536      | √          | √     |
|      | DS-2DE5194-A/A3   | V5.2.10 build150128 | 2048*1536      | √          | √     |
|      | DS-2DF1-518       | V3.2.0 build131223  | 704*576        | √          | √     |
|      | DS-2DM1-718       | V3.2.0 build131223  | 704*576        | √          | √     |
|      | DS-2DM1-518       | V3.2.0 build131223  | 704*576        | √          | √     |
|      | DS-2DF1-718       | V3.2.0 build131223  | 704*576        | √          | √     |
|      | DS-2DF1-514       | V3.2.0 build131223  | 704*576        | √          | √     |
|      | DS-2DF1-714       | V3.2.0 build131223  | 704*576        | √          | √     |
|      | DS-2DY9174-A      | V5.2.8 build150124  | 1280*960       | √          | √     |
|      | DS-2DY9176-A      | V5.2.8 build150124  | 1280*960       | √          | √     |
|      | DS-2DY9194-A      | V5.2.8 build150124  | 2048*1536      | √          | √     |
|      | DS-2DY9196-A      | V5.2.8 build150124  | 2048*1536      | √          | √     |
|      | DS-2DY9184-A      | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2DY9186-A      | V5.2.8 build150124  | 1920*1080      | √          | √     |
|      | DS-2DY9185-A      | V5.2.8 build150124  | 1920*1080      | √          | √     |



SecureCom Video™ V-4408D NVR Camera Compatibility Guide

| Type                                | Model          | Version            | Max Resolution | Sub-stream | Audio |
|-------------------------------------|----------------|--------------------|----------------|------------|-------|
|                                     | DS-2DY9187-A   | V5.2.8 build150124 | 1920*1080      | √          | √     |
|                                     | DS-2DF8223IV-A | V5.3.0 build150304 | 1920*1080      | √          | √     |
|                                     | DS-2DF8623IV-A | V5.3.0 build150304 | 3072*1728      | √          | √     |
|                                     | DS-2DF6623V-A  | V5.3.0 build150304 | 3072*1728      | √          | √     |
|                                     | DS-2DF8823IV-A | V5.3.0 build150304 | 4096*2160      | √          | √     |
| Network<br>Zoom<br>Camera<br>Module | DS-2ZCN2006    | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZCN2006(B) | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZCN3006    | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZCN3006(B) | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZMN2006    | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZMN2006(B) | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZMN3006    | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZMN3006(B) | V5.2.7 build141107 | 1280*960       | √          | √     |
|                                     | DS-2ZCN2007    | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZCN3007    | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZCN3007(B) | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN2007    | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN3007    | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN3007(B) | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN0407    | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN3207    | V5.2.7 build141107 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN2008    | V5.2.7 build141107 | 2048*1536      | √          | √     |
|                                     | DS-2ZCN2008    | V5.2.7 build141107 | 2048*1536      | √          | √     |
|                                     | DS-2ZMN3007(S) | V5.2.2 build141113 | 1920*1080      | √          | √     |
|                                     | DS-2ZCN3007(S) | V5.2.2 build141113 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN2307    | V5.2.2 build141113 | 1920*1080      | √          | √     |
|                                     | DS-2CN2307     | V5.2.2 build141113 | 1920*1080      | √          | √     |
|                                     | DS-2ZMN2309    | V5.2.2 build141113 | 3072*2048      | √          | √     |
|                                     | DS-2ZCN2309    | V5.2.2 build141113 | 3072*2048      | √          | √     |

## List of Third-Party IP Cameras

| IP Camera Manufacturer or Protocol | Model                                       | Version             | Max Resolution         | Sub-stream | Audio |
|------------------------------------|---|---------------------|------------------------|------------|-------|
| ACTi                               | ACM3401-09L-X-002 27                        | A1D-220-V3.13.16-AC | 1208*1024              | x          | x     |
|                                    | TCM4301-10D-X-00 083                        | A1D-310-V4.12.09-AC | 1208*1024              | x          | √     |
|                                    | TCM5311-11D-X-00 023                        | A1D-310-V4.12.09-AC | 1208*960               | x          | √     |
| Arecont                            | AV1305 M                                    | 65175               | 1208*1024              | √          | x     |
|                                    | AV2815                                      | 65220               | 1920*1080              | √          | x     |
|                                    | AV3105M                                     | 65175               | 1920*1080              | √          | x     |
|                                    | AV8185DN                                    | 65172               | 1600*1200              | x          | x     |
| Axis                               | M1114                                       | 5.09.1              | 1024*640               | √          | x     |
|                                    | M3011<br>(ONVIF compatibility)              | 5.21                | 640*480 (704*576)      | √ (x)      | x     |
|                                    | M3014<br>(ONVIF compatibility)              | 5.21.1              | 1280*800               | √          | x     |
|                                    | P1346                                       | 5.40.9.2            | 2048*1536              | √          | √     |
|                                    | P3301<br>(ONVIF compatibility)              | 5.11.2              | 640*480 (768*576)      | √          | √ (x) |
|                                    | P3304<br>(ONVIF compatibility)              | 5.20                | 1280*800<br>(1440*900) | √          | √ (x) |
|                                    | P3343<br>(ONVIF compatibility)              | 5.20.1              | 800*600                | √          | √ (x) |
|                                    | P3344<br>(ONVIF compatibility)              | 5.20.1              | 1280*800 (1440*900)    | √          | √ (x) |
|                                    | P5532                                       | 5.15                | 720*576                | √          | x     |
|                                    | Q7404                                       | 5.02                | 720*576                | √          | √     |
| Bosch                              | AutoDome Jr 800 HD<br>(ONVIF compatibility) | 39500450            | 1920*1080              | x          | √ (x) |
|                                    | Dinion NBN-921-P<br>(ONVIF compatibility)   | 10500453            | 1280*720               | x          | √ (x) |

## SecureCom Video™ V-4408D NVR Camera Compatibility Guide

|           |   |                                      |                      |       |       |
|-----------|---|--------------------------------------|----------------------|-------|-------|
|           | NBC 265 P<br>(ONVIF compatibility)                | 07500452                             | 1280*720             | x     | √ (x) |
| Brickcom  | CB-500Ap(Brickcom- 50xA)<br>(ONVIF compatibility) | v3.2.1.3                             | 1920*1080            | x     | √ (x) |
| Canon     | VB-H410<br>(ONVIF compatibility)                  | Ver.+1.0.0                           | 1920*1080 (1280*960) | x     | √     |
|           | VB-S9000F   | Ver. 1.0.0                           | 1920*1080            | x     | x     |
|           | VB-S300D  | Ver. 1.0.0                           | 1920*1080            | x     | x     |
|           | VB-H6100D   | Ver. 1.0.0                           | 1920*1080            | x     | x     |
|           | VB-H7100F   | Ver. 1.0.0                           | 1920*1080            | x     | √     |
|           | VB-S8000  | Ver. 1.0.0                           | 1920*1080            | x     | x     |
| Panasonic | SP306H<br>(ONVIF compatibility)                   | Application:1.34<br>Image data:1.06  | 1280*960             | √ (x) | √     |
|           | SF336H  | Application:1.06<br>Image data: 1.06 | 1280*960             | √     | √     |
| Pelco     | D5118 (ONVIF compatibility)                       | 1.8.2-20120327-2.93<br>10-A1.7852    | 1280*960             | √     | x     |
|           | IX30DN-ACFZHB3<br>(ONVIF compatibility)           | 1.8.2-20120327-2.90<br>80-A1.7852    | 2048*1536            | √     | x     |
|           | IXE20DN-AAXVUU2<br>(ONVIF compatibility)          | 1.8.2-20120327-2.90<br>81-A1.7852    | 1920*1080            | √     | x     |
| Sanyo     | 2300P(with lens)                                  | 2.03-02 (110318-00)                  | 1920*1080            | x     | x     |
|           | 2500P(with lens)                                  | 2.02-02 (110208-00)                  | 1920*1080            | x     | √     |
|           | 4600P   | 2.03-02 (110315-00)                  | 1920*1080            | x     | √     |
| SONY      | SNC-CH220   | 1.50.00                              | 1920*1080            | x     | x     |
|           | SNCDH220T<br>(ONVIF only)                         | 1.50.00                              | 2048*1536            | x     | x     |
|           | SNC-EP580<br>(ONVIF compatibility)                | 1.53.00                              | 1920*1080            | √     | √     |

SecureCom Video™ V-4408D NVR Camera Compatibility Guide

|         |                                    |               |           |       |       |
|---------|------------------------------------|---------------|-----------|-------|-------|
|         | SNC-RH124<br>(ONVIF compatibility) | 1.79.00       | 1280*720  | √     | √     |
| SUMSUNG | SND-5080<br>(ONVIF compatibility)  | 3.10_130416   | 1280*1024 | √     | √     |
| Vivotek | IP7133                             | 0203a         | 640*480   | x     | x     |
|         | FD8134<br>(ONVIF compatibility)    | 0107a         | 1280*800  | x     | x     |
|         | IP8161<br>(ONVIF compatibility)    | 0104a         | 1600*1200 | x     | √ (x) |
|         | IP8331<br>(ONVIF compatibility)    | 0102a         | 640*480   | x     | x     |
|         | IP8332<br>(ONVIF compatibility)    | 0105b         | 1280*800  | x     | x     |
| Zavio   | D5110<br>(ONVIF compatibility)     | MG.1.6.03P8   | 1280*1024 | √ (x) | x     |
|         | F3106<br>(ONVIF compatibility)     | M2.1.6.03P8   | 1280*1024 | √ (x) | √     |
|         | F3110<br>(ONVIF compatibility)     | M2.1.6.01     | 1280*720  | √ (x) | √     |
|         | F3206<br>(ONVIF compatibility)     | MG.1.6.02c045 | 1920*1080 | √ (x) | √     |
|         | F531E<br>(ONVIF compatibility)     | LM.1.6.18P10  | 640*480   | √ (x) | √     |

LT-1878 18504 © 2018 Digital Monitoring Products, Inc.